



Connect With Us, Through WeChat, WhatsApp & Alibaba



SYMCO TECHNOLOGIES Offers The Following Products

ONU/ONT

SYMCO COMMITTED PERFORMANCE

XPON ONU
Model: SM-1GWMTXPON

- Ports: 1GE + 3FE
- 300 Mbps Speed
- PPPoE Mode
- Plug & Play
- Remote Ping & Remote Access

Contact for Deals!
info@szsymco.com

www.szsymco.com | Symco.Tech | symco_official | @symco_official

SYMCO COMMITTED PERFORMANCE

Wireless Xpon ONU Router

- Supports: All OLTs (Vso, HSQG, Huawei, ZTE)
- Wi-Fi: Up to 300 Mbps High Speed
- Ports: 1 Gigabit + 3 Fast Ethernet
- Support PPPoE Mode.
- Support Remote Web Access.
- Support Remote Ping.

For more products visit us!
www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO COMMITTED PERFORMANCE

XPON ONU
Model: SM-1GWXPON

- 300 Mbps Speed
- Ports: 1GE + 3FE
- Remote Ping & Remote Access support

Stock Available, Contact us for deals!

www.szsymco.com | Symco.Tech | symco_official | @symco_official

SYMCO COMMITTED PERFORMANCE

XPON ONU Router
Model: SM-1GWHSXPON

- XPON ONU
- 300 Mbps High-Speed Internet
- 1 GE + 4 FE Ports
- 5 dBi High-Gain Antennas
- PPPoE Mode Support
- Remote Web Access
- Remote Ping Function

Facebook: SYMCO.TECH | Instagram: @symco_official | TikTok: @symco_official | Website: www.szsymco.com

SYMCO COMMITTED PERFORMANCE

SYMCO Without Wifi XPON ONU
Model: SM-4GEXPON

- 4GE Ports
- Support Bridge & PPPoE Mode
- Remote Web Access
- Remote Ping
- Support All Brand OLTs

SYMCO.TECH | symco_official | @symco_official | www.szsymco.com

SYMCO COMMITTED PERFORMANCE

SYMCO Without WiFi XPON ONU
Model: SM-1GEXPON

- 1 Gigabit Ethernet Port
- Support Bridge and PPPoE Mode
- Support Manage Support Remote Ping and Remote Web Access

Facebook: SYMCO.TECH | Instagram: @symco_official | TikTok: @symco_official | Website: www.szsymco.com

SYMCO COMMITTED PERFORMANCE

Dual Band XPON ONU
Model: SM-AC1200DXPON

- Dual Band XPON ONU
- 2.4GHz + 5GHz Dual Band WiFi
- 1200 Mbps High-Speed Wireless Performance
- 1GE + 4FE Ports
- 5dBi Four High-Gain Antennas
- High Efficiency MU-MIMO
- Support PPPoE Mode
- Remote Web Access
- Remote Ping Support
- Support All Brand OLTs

Facebook: SYMCO.TECH | Instagram: @symco_official | TikTok: @symco_official | Website: www.szsymco.com

SYMCO COMMITTED PERFORMANCE

Wifi 6 XPON ONU
Model: SM-AX1800W6

- Dual Band 2.4GHz & 5GHz
- 1800 Mbps High-Speed WiFi 6
- 1GE + 4FE Ports
- 5 dBi Dual Antennas
- High Efficiency MU-MIMO
- Support IPv6
- Support PPPoE Mode
- Remote Web Access
- Remote Ping
- Compatible with All Brand OLTs

Facebook: SYMCO.TECH | Instagram: @symco_official | TikTok: @symco_official | Website: www.szsymco.com

Wifi Routers

SYMCO AC1200 Wireless Dual-Band Smart Router
Model: SM-A1200X

4 in 1 Operating Modes

- Router Mode
- Extender Mode
- WiSP Mode
- Access Point Mode

- Dual Band 2.4GHz + 5GHz Wireless
- 1200 Mbps High-Speed Wireless Performance
- Four x 5dBi High-Gain Antennas
- TR069 Support
- IPv6 Support
- High Efficiency MU-MIMO
- 4 LAN + 1 WAN Ports 10/100 Mbps

SYMCO TECH | @symco_official | www.szsymco.com

SYMCO High-Gain ISP Smart Router
Model: SM-WR1000

6 in 1 Operating Modes

- Router Mode
- Client Mode
- WiSP Mode
- Universal Repeater Mode
- ISP Super-Admin Management Mode

- 300 Mbps High-Speed Wireless Performance
- Four x 5dBi High-Gain Antennas
- Support Up to 64 Users
- 2 LAN + 1 WAN Ports

SYMCO TECH | @symco_official | www.szsymco.com

SYMCO AC1200 Wireless Dual-Band Gigabit Router
Model: SM-A1400X

- Dual Band Performance (2.4GHz + 5GHz, up to 1200 Mbps Speed)
- Four x 6dBi High-Gain Antennas
- Access Point Mode Support
- Easy Mesh Networking (Built-in APN Clients, PoE Support, Central Mesh Engines with OFDM Technology)
- High Efficiency MU-MIMO Technology
- 4 LAN + 1 WAN Ports (10/100/1000 Mbps Gigabit Ethernet)

Facebook: SYMCO TECH | Instagram: @symco_official | TikTok: @symco_official | Website: www.szsymco.com

Fiber Patch Cords (Network Grade)

SYMCO Fiber Optic Patch Cord
SC/UPC-SC/UPC-Network Grade

- Length: 3 meter
- LSZH (Low Smoke Zero Halogen) outer jacket
- 100% factory tested with quality and performance reports
- Single-mode G.652D
- Durability: 500+ mating cycles

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: SC/UPC-SC/UPC-SM-DX-3.0-3M-2
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (UPC) Insertion Loss: < 0.3dB

Contact for Deals! info@szsymco.com Visit Now for more! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
SC/UPC-SC/APC-Network Grade

- Length: 3 meter
- LSZH (Low Smoke Zero Halogen) outer jacket
- 100% factory tested with quality and performance reports
- Single-mode G.652D
- Durability: 500+ mating cycles

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: SC/UPC-SC/APC-SM-DX-3.0-3M-2
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (APC) Insertion Loss: < 0.3dB

Contact for Deals! Visit Now for more! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
sc/APC-sc/APC-Network Grade

Length: 3 meter
Outer jacket: LSZH (Low Smoke Zero Halogen)

Single-mode G.657.A2
Insertion Loss: 0.3dB - 0.8dB
Return Loss: 60dB (APC)

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: sc/APC-sc/APC-SM-5.5-LD-3M-1
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (APC) Insertion Loss: < 0.3dB

Visit us! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
LC/UPC-LC/UPC-Network Grade

Length: 3 meter
Outer jacket: LSZH (Low Smoke Zero Halogen)

Single-mode G.657.A2
Insertion Loss: 0.3dB - 0.8dB
Return Loss: 60dB (APC)

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: LC/UPC-LC/UPC-SM-FX-3.0-3M-2
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (UPC) Insertion Loss: < 0.3dB

Visit us! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
SC/UPC-LC/UPC-Network Grade

- Length: 5 Meter
- Single-mode G.657.A2
- Insertion Loss: 0.3dB - 0.8dB
- Return Loss: > 50 dB (UPC)
- Outer jacket: 3.0mm LSZH (Low Smoke Zero Halogen)

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: SC/UPC-LC/UPC-SM-DX-3.0-5M-2
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (UPC) Insertion Loss: < 0.3dB

Contact us for details! Visit us! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
sc/UPC-sc/UPC Simplex, Network Grade

- Length: 3 Meter
- Single-mode G.657.A2
- Insertion Loss: 0.3dB - 0.8dB
- Return Loss: > 50 dB (UPC)
- Outer jacket: 3.0mm LSZH (Low Smoke Zero Halogen)

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: sc/UPC-sc/UPC-SM-5.5-LD-3M-1
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (UPC) Insertion Loss: < 0.3dB

Contact us for details! Visit us! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
sc/UPC-sc/UPC Duplex, Network Grade

- Length: 1 Meter
- Single-mode G.657.A2
- Insertion Loss: 0.3dB - 0.8dB
- Return Loss: > 50 dB (UPC)
- Outer jacket: 3.0mm LSZH (Low Smoke Zero Halogen)

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: sc/UPC-sc/UPC-SM-FX-3.0-1M-2
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (UPC) Insertion Loss: < 0.3dB

Contact us for details! Contact for Deals! Visit Now for more! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
SC/UPC-SC/UPC Duplex, Network Grade

- Length: 5 Meter
- Single-mode G.657.A2
- Insertion Loss: 0.3dB - 0.8dB
- Return Loss: > 50 dB (UPC)
- Outer jacket: 3.0mm LSZH (Low Smoke Zero Halogen)

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: SC/UPC-SC/UPC-SM-DX-3.0-5M-2
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (UPC) Insertion Loss: < 0.3dB

Contact us for details! Visit us! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO Fiber Optic Patch Cord
sc/UPC-LC/UPC Duplex, Network Grade

- Length: 3 Meter
- Single-mode G.657.A2
- Insertion Loss: 0.3dB - 0.8dB
- Return Loss: > 50 dB (UPC)
- Outer jacket: 3.0mm LSZH (Low Smoke Zero Halogen)

SYMCO Fiber Optic Patch Cord Network Grade
TYPE: sc/UPC-LC/UPC-SM-5.5-LD-3M-1
QTY: 1PCS DATE: 11/20/25
Return Loss: > 20 dB (UPC) Insertion Loss: < 0.3dB

Contact us for details! Visit us! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
LC/UPC-LC/UPC Duplex, Network Grade

- Length: 5 Meter
- Single-mode G.657.A2
- Insertion Loss: 0.3dB - 0.8dB
- Return Loss: ≥ 50 dB (UPC)
- Outer Jacket: 3.0mm LSZH (Low Smoke Zero Halogen)

Contact us for details!
Visit us! www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

Fiber Patch Cords (Telecom Grade)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
SC/UPC-SC/UPC-SM-DX-3.0-3M-2 Telecom Grade

Insertion Loss:
A1: 0.1dB - 0.3dB
A2: 0.1dB - 0.3dB

Return Loss:
A1: ≥ 55dB (UPC)
A2: ≥ 55dB (UPC)

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
3 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
SC/UPC-SC/APC-SM-SX-3.0-3M-1 Network Grade

Insertion Loss:
A1: 0.3dB - 0.8dB

Return Loss:
A1: 60dB (APC)

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
3 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
SC/UPC-SC/UPC-SM-DX-3.0-5M-2 Telecom Grade

Insertion Loss:
A1: 0.1dB - 0.3dB
A2: 0.1dB - 0.3dB

Return Loss:
A1: ≥ 55dB
A2: ≥ 55dB

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
5 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
SC/UPC-SC/UPC-SM-DX-3.0-1M-2 Telecom Grade

Insertion Loss:
A1: 0.1dB - 0.3dB
A2: 0.1dB - 0.3dB

Return Loss:
A1: ≥ 55dB
A2: ≥ 55dB

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
1 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
SC/UPC-LC/UPC-SM-DX-3.0-5M-2 Telecom Grade

Insertion Loss:
A1: 0.1dB - 0.3dB
A2: 0.1dB - 0.3dB

Return Loss:
SC/UPC: ≥ 55dB
LC/UPC: ≥ 55dB

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
5 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
LC/UPC-LC/UPC-SM-DX-3.0-3M-2 Telecom Grade

Insertion Loss:
A1: 0.1dB - 0.3dB
A2: 0.1dB - 0.3dB

Return Loss:
LC/UPC: ≥ 55dB
LC/UPC: ≥ 55dB

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
3 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
LC/UPC-LC/UPC-SM-DX-3.0-5M-2 Telecom Grade

Insertion Loss:
A1: 0.1dB - 0.3dB
A2: 0.1dB - 0.3dB

Return Loss:
LC/UPC: ≥ 55dB
LC/UPC: ≥ 55dB

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
5 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Patch Cord
SC/UPC-LC/UPC-SM-DX-3.0-3M-2 Telecom Grade

Insertion Loss:
A1: 0.1dB - 0.3dB
A2: 0.1dB - 0.3dB

Return Loss:
SC/UPC: ≥ 55dB
LC/UPC: ≥ 55dB

Operating Temperature:
-40°C to +85°C

Fiber Type:
Single-mode (SM) G.657.A2

Cable Length:
3 Meters

Visit us for more products.
www.szsymco.com

[Symco.Tech](#) [symco_official](#) [@symco_official](#)

RJ45 Patch Cords

Cat6 RJ45 Patch Cord

Length: 0.5 Meter

- Cable Type: Cat6 Ethernet Patch Cord
- Length: 0.5 Meter
- Fluke Test: Passed
- Cable Material: LSZH (Low Smoke Zero Halogen)
- Diameter: 6.0mm
- Frequency: 250MHz
- Connector Type: RJ45 (Male to Male)
- Data Transfer Speed: Up to 1 Gbps

Visit us for more products.
www.szsymco.com

f Symco.Tech i symco_official d @symco_official

Cat6 RJ45 Patch Cord

Length: 1 Meter

- Cable Type: Cat6 Ethernet Patch Cord
- Length: 1 Meter
- Fluke Test: Passed
- Cable Material: LSZH
- Diameter: 6.0mm
- Frequency: 250MHz
- Connector Type: RJ45 (Male to Male)
- Data Transfer Speed: Up to 1 Gbps
- Conductor Material: 100% Pure Copper
- Shielding: UTP (Unshielded Twisted Pair)
- Jacket Material: Durable PVC
- Color: Blue

Visit for more Products
www.szsymco.com

f Symco.Tech i symco_official d @symco_official

Cat6 RJ45 Patch Cord

- Cable Type: Cat6 Ethernet Patch Cord
- Connector Type: RJ45 (Male to Male)
- Data Transfer Speed: Up to 1 Gbps
- Length: 3 Meter
- Fluke Test: Passed
- Diameter: 6.0mm
- Frequency: 250MHz

f Symco.Tech i symco_official d @symco_official

Cat7 RJ45 Patch Cord

Length: 1 Meter

- Cable Type: Cat7 Ethernet Patch Cord
- Length: 1 Meter
- Fluke Test: Passed
- Cable Material: LSZH
- Diameter: 6.0mm
- Frequency: 250MHz
- Connector Type: RJ45 (Male to Male)
- Data Transfer Speed: Up to 10 Gbps
- Conductor Material: 100% Pure Copper

Visit for More Products.
www.szsymco.com

f Symco.Tech i symco_official d @symco_official

Cat7 RJ45 Patch Cord

Length: 3 Meter

- Length: 3 Meter
- Fluke Test: Passed
- Cable Material: LSZH (Low Smoke Zero Halogen)
- Diameter: 6.0mm
- Frequency: 250MHz
- Connector Type: RJ45 (Male to Male)

Visit us for more products.
www.szsymco.com

f Symco.Tech i symco_official d @symco_official

Fiber Without Head Splitters

Fiber Optical Splitter

1*2 PLC Splitter

Telecom Grade

- 1*2 PLC Splitter
- Operating wavelength: 1260nm 1650nm
- Low Insertion loss, high uniformity
- Stable performance over temperature variations
- Easy installation in FTTH/PON setups

For more products visit us! www.szsymco.com info@szsymco.com

f Symco.Tech i symco_official d @symco_official

1*4 PLC Splitter

Telecom Grade

- Operating Wavelength: 1260nm 1650nm
- Insertion Loss: Typical: 7.0 dB, Maximum 8.0 dB
- Loss Uniformity: 0.6 dB
- Return Loss: 50 dB

For more info & products, Visit Now! www.szsymco.com

f Symco.Tech i symco_official d @symco_official

1*8 PLC Splitter

- Operating Wavelength: 1260nm 1650nm
- Insertion Loss: Typical: 10.5 dB, Mx: 11.0 dB
- Loss Uniformity: 0.8 dB
- PDL: 0.3 dB
- Return Loss: 50 dB

For order Contact us! info@szsymco.com www.szsymco.com

f Symco.Tech i symco_official d @symco_official

1*16 PLC Splitter

- Operating Wavelength: 1260nm 1650nm
- Insertion Loss: Typical: 10.5 dB, Mx: 11.0 dB
- Loss Uniformity: 0.8 dB
- Return Loss: 50 dB
- PDL: 0.3 dB
- Easy installation in FTTH/PON setups
- Compact & robust design

For order Contact us! info@szsymco.com www.szsymco.com

f Symco.Tech i symco_official d @symco_official

Fiber Cassette Splitters

SYMCO
Committed Performance

Fiber Optical Splitter

1x2 Cassette Splitter

Split Ratio: 1 x 2 (2 output ports)
 Operating Wavelength: 1260 nm – 1650 nm
 Insertion Loss: Typical: ~3.6 dB, Maximum: ~4.0 dB
 Operating Temperature: -20 °C to +85 °C
 Fiber Type: Single Mode (SMF-28 or G.657)
 Loss Uniformity: ≤ 0.5 dB
 PDL: ≤ 0.15 dB
 Return Loss: ≥ 50 dB



Visit us for more products. www.szsymco.com

[f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
Committed Performance

Fiber Optical Splitter

1x4 Cassette Splitter

Split Ratio: 1 x 4 (4 output ports)
 Operating Wavelength: 1260 nm – 1650 nm
 Insertion Loss: Typical: ~7.0 dB, Maximum: ~8.0 dB
 Loss Uniformity: ≤ 0.6 dB
 PDL: ≤ 0.2 dB
 Return Loss: ≥ 50 dB
 Operating Temperature: -20°C to +85°C
 Fiber Type: G.657A single-mode



Visit us for more products. www.szsymco.com

[f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
Committed Performance

Fiber Optical Splitter

1x8 Cassette Splitter

Split Ratio: 1 x 8 (8 output ports)
 Operating Wavelength: 1260 nm – 1650 nm
 Loss Uniformity: ≤ 0.8 dB
 PDL: ≤ 0.3 dB
 Return Loss: ≥ 50 dB
 Operating Temperature: -20 °C to +85 °C
 Fiber Type: G.657A or SMF-28



Visit us for more products. www.szsymco.com

[f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Fiber Optical Splitter

1x16 Cassette Splitter

Split Ratio: 1 x 16 (16 output ports)
 Operating Wavelength: 1260 nm – 1650 nm
 Insertion Loss: Typical: ~13.5 dB, Maximum: ~14.0 dB
 Loss Uniformity: ≤ 0.8 dB
 PDL: ≤ 0.3 dB
 Return Loss: ≥ 50 dB
 Operating Temperature: -20°C to +85°C
 Fiber Type: G.657A or SMF-28



Visit us for more products. www.szsymco.com

[f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

Fiber Ratio Splitters

SYMCO
COMMITTED PERFORMANCE

Ratio Splitter

50:50, Telecom Grade

- Wavelength: 1260 nm – 1650 nm
- Insertion Loss: Typical: ~3.5 dB, Max: ~4.2 dB
- Loss Uniformity: $\leq 0.5\text{ dB}$
- PDL: $\leq 0.15\text{ dB}$
- Return Loss: >50 dB
- Application: FTTH, PON, Passive Optical Distribution



For more info & products visit us!
www.szsymco.com
info@szsymco.com

[f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Ratio Splitter

5:95, Telecom Grade

- Wavelength: 1260 nm – 1650 nm
- Insertion Loss 5% Port: Typical: ~13.5 dB, Max: ~14.5 dB
- Insertion Loss 95% Port: Typical: ~0.5 dB, Max: ~1.0 dB
- Loss Uniformity: $\leq 0.6\text{ dB}$
- PDL: $\leq 0.2\text{ dB}$
- Return Loss: >50 dB



For more info & products visit us!
www.szsymco.com
info@szsymco.com

[f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Ratio Splitter

30:70, Telecom Grade

- Wavelength: 1260 nm – 1650 nm
- Insertion Loss 10% Port: Typical: ~10.8 dB, Max: ~11.8 dB
- Insertion Loss 90% Port: Typical: ~0.8 dB, Max: ~1.2 dB
- Loss Uniformity: $\leq 0.6\text{ dB}$
- PDL: $\leq 0.2\text{ dB}$
- Return Loss: >50 dB
- Reliable performance in varying temperatures
- Easy integration in FTTH, PON networks



Contact us now!
info@szsymco.com

Visit for more products. www.szsymco.com

[f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Ratio Splitter

30:70, Telecom Grade

- Wavelength: 1260 nm – 1650 nm
- Insertion Loss 30% Port: Typical: ~5.4 dB, Max: ~6.0 dB
- Insertion Loss 70% Port: Typical: ~2.8 dB, Max: ~3.2 dB
- Loss Uniformity: $\leq 0.6\text{ dB}$
- PDL: $\leq 0.2\text{ dB}$
- Return Loss: >50 dB



For more products, Contact now!
info@szsymco.com

www.szsymco.com [f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Ratio Splitter

20:80, Telecom Grade

- Wavelength: 1260 nm – 1650 nm
- Insertion Loss 20% Port: Typical: ~7.4 dB, Max: ~8.4 dB
- Insertion Loss 80% Port: Typical: ~1.6 dB, Max: ~2.0 dB
- Loss Uniformity: $\leq 0.6\text{ dB}$
- PDL: $\leq 0.2\text{ dB}$
- Return Loss: >50 dB
- Stable performance in wide temperatures
- Easy deployment in FTTH/PON networks



For more products, Contact now!
info@szsymco.com

www.szsymco.com [f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Ratio Splitter

30:70, Telecom Grade

- Wavelength: 1260 nm – 1650 nm
- Insertion Loss 40% Port: Typical: ~4.0 dB, Max: ~4.6 dB
- Insertion Loss 60% Port: Typical: ~3.8 dB, Max: ~4.2 dB
- Loss Uniformity: $\leq 0.6\text{ dB}$
- PDL: $\leq 0.2\text{ dB}$
- Return Loss: >50 dB
- Good power balance
- Low loss and high stability
- Telecom grade performance



For Order, Contact us now!
info@szsymco.com

www.szsymco.com [f Symco.Tech](#) [@symco_official](#) [@symco_official](#)

SYMCO
COMMITTED PERFORMANCE

Ratio Splitter

2:98, Telecom Grade

- Wavelength: 1260 nm – 1650 nm
- Insertion Loss 2x Port:
Typical -17.6 dB Max -18.6 dB
- Insertion Loss 98% Port:
Typical -0.2 dB Max -0.4 dB
- Loss Uniformity: $\pm 0.8\text{ dB}$
- PDL: $\pm 0.2\text{ dB}$
- Return Loss: >50dB

For more info & products visit us!
www.szsymco.com
info@szsymco.com

Symco.Tech symco_official @symco_official

Fiber SFP Modules

SYMCO
COMMITTED PERFORMANCE

Fiber SFP Module (A/B Pair)

Model: SM-1.25G-80-SC

Features

- Type: Single-Mode Fiber
- Connector: SC-SC
- Data Rate: 1.25 Gbps
- Wavelength A: 1490 nm
- Wavelength B: 1550 nm
- Transmission Distance: Up to 80 KM

For more products visit us!
Website: www.szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber SFP+ Module (A/B Pair)

Model: SM-10G-LC-20

Features

Type: Single-Mode Fiber (SMF)
Operating Temperature: -10°C to 70°C
Transmission Distance: Up to 20 KM
Connector: LC
Data Rate: 10 Gbps
Wavelength A: 1270 nm
Wavelength B: 1330 nm
Laser Type: DFB Laser

For more products visit us!
www.szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber SFP Module SM-1.25G-20-SC (A/B Pair)

- Type: Single-Mode Fiber (SMF)
- Connector: SC
- Data Rate: 1.25 Gbps (Gigabit)
- Wavelength A: 1310 nm
- Wavelength B: 1550 nm
- Transmission Distance: Up to 20 KM
- Laser Type: DFB Laser
- Compatible with: Switches, OLTs, Routers, Media Converters
- Application: FTTH, Enterprise, CCTV, Metro Networks

Contact us now!
info@szsymco.com

Visit for more products.
www.szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber SFP Module SM-10G-LC-40 (A/B Pair)

- Type: Single-Mode Fiber (SMF)
- Connector: LC
- Data Rate: 10 Gbps
- Wavelength A: 1270 nm
- Wavelength B: 1330 nm
- Transmission Distance: Up to 40 KM
- Laser Type: DFB Laser
- Compatible with: Switches, OLTs, Routers, Media Converters
- Application: FTTH, Data Centers, Metro Networks

Contact us now!
info@szsymco.com

Visit for more products.
www.szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber SFP Module SM-1.25G-120-SC (A/B Pair)

- Type: Single-Mode Fiber (SMF)
- Connector: SC
- Data Rate: 1.25 Gbps (Gigabit)
- Wavelength A: 1490 nm
- Wavelength B: 1550 nm
- Transmission Distance: Up to 120 KM
- Laser Type: DFB Laser
- Compatible with: Switches, OLTs, Routers, Media Converters
- Application: FTTH, Backbone, Metro Networks

For Order Contact Us!
info@szsymco.com

www.szsymco.com Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber SFP Module SM-1.25G-40-SC (A/B Pair)

- Type: Single-Mode Fiber (SMF)
- Connector: SC
- Data Rate: 1.25 Gbps (Gigabit)
- Wavelength A: 1310 nm
- Wavelength B: 1550 nm
- Transmission Distance: Up to 40 KM
- Laser Type: DFB Laser
- Operating Temperature: -10°C to 70°C
- Compatible with: Switches, OLTs, Routers, Media Converters
- Application: FTTH, Backbone, Metro Networks

For Order Contact Us!
info@szsymco.com

www.szsymco.com Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber SFP Module SM-1.25G-20-LC (A/B Pair)

- Type: Single-Mode Fiber/LC
- Data Rate: 1.25 Gbps (Gigabit)
- Wavelength A: 1310 nm
- Wavelength B: 1550 nm
- Transmission Distance: Up to 20 KM
- Laser Type: DFB Laser
- Operating Temperature: -10°C to 70°C
- Compatibility: Switches, OLTs, Routers, Media Converters
- Application: FTTH, Backbone, Metro Networks

For Order Contact Us!
info@szsymco.com

Visit Now!
www.szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber SFP Module SM-10G-60-LC (A/B Pair)

- Type: Single-Mode Fiber (SMF)
- Connector: LC
- Data Rate: 10 Gbps
- Wavelength A: 1270 nm
- Wavelength B: 1330 nm
- Transmission Distance: Up to 60 KM
- Laser Type: DFB Laser
- Operating Temperature: -10°C to 70°C
- Compatible with: Switches, OLTs, Routers, Media Converters

For Order Contact Us!
info@szsymco.com

Visit Now!
www.szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Epon OLT Module Epon OLT PX20+++

- Type: EPON OLT Transceiver
- Fiber Type: Single-Mode Fiber (SMF)
- Connector: SC/UPC
- Downstream Wavelength: 1490 nm
- Upstream Wavelength: 1310 nm
- Transmission Distance: Up to 20 KM
- Power Budget: 29-33 dB (PX20+++ High Power)
- Data Rate: 1.25Gbps Downstream & Upstream
- Compatibility: EPON OLT Frames & OLT Platforms

Visit Now!
www.szsymco.com
info@szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Gpon OLT Module

Gpon OLT C++++

- Data Rate: 2.488Gbps Downstream & Upstream
- Fiber Type: Single-Mode Fiber (SMF)
- Connector: SC/UPC
- Downstream Wavelength: 1490 nm
- Upstream Wavelength: 1310 nm
- Transmission Distance: Up to 20 KM
- Compatibility: GPON OLT Frames & OLT Platforms
- Applications: FTTH, ISP, PON Networks

Contact for Deals!
✉ info@szsymco.com

Visit Now for more!
🌐 www.szsymco.com

📱 Symco.Tech 📷 symco_official 📺 @symco_official

Optical & RJ45 Testers

SYMCO
Committed Performance

Optical Multi Meter 4 in 1

Model: SM-OVR-01

FEATURES

- Power Measurement Range:**
A -70 dBm to +10 dBm
B -50 dBm to +26 dBm
- Virtual Fault Locator:**
10mw, 20mw, 30mw, 50mw
100mw
- Display:** High-resolution LCD with backlight
- Battery Life:** Up to 20 hours
- RJ45:** Cable Tester

Applications

- GPON, EPON, XPON Optical Measurement
- Optical power loss verification
- Data Centers & Telecom Rooms
- Long-distance Fiber Communication

🌐 www.szsymco.com 📱 Symco.Tech 📷 symco_official 📺 @symco_official

SYMCO
Committed Performance

Optical Multi Meter 4 in 1

Model: SM-OVR-02

FEATURES

- Power Measurement Range:**
A -70 dBm to +10 dBm
B -50 dBm to +26 dBm
- Virtual Fault Locator:**
10mw, 20mw, 30mw, 50mw
100mw
- Display:** High-resolution LCD with backlight
- Battery Life:** Up to 20 hours
- RJ45:** Cable Tester

Applications

- GPON, EPON, XPON Optical Measurement
- Optical power loss verification
- Data Centers & Telecom Rooms
- Long-distance Fiber Communication

🌐 www.szsymco.com 📱 Symco.Tech 📷 symco_official 📺 @symco_official

SYMCO
Committed Performance

OPTICAL FIBER METER

MODEL:SM-OVR-03

FEATURES

- Power Measurement Range: 70 dBm to +10 dBm
- Display High-resolution LCD with backlight
- Battery Life Up to 20 hours of continuous operation
- Interface: USB for data transfer and firmware updates
- Data logging support for advanced testing
- Auto-shutdown for power saving

Follow Us

📱 @symco_official
📷 symco_official 📱 Symco.Tech

🌐 website: www.szsymco.com ✉ Email: info@szsymco.com

Fiber Connectors

SYMCO
COMMITTED PERFORMANCE

SC/UPC Coupler

- SC/UPC to SC/UPC
- Durability: 500+ mating cycles
- Long term mechanical stability
- Insertion Loss: ≤ 0.2 dB
- Return Loss: ≥ 50 dB
- Ideal for FTTH, ODF, Telecom & Data Centers

For more Products!
Visit www.szsymco.com

Contact us now!
✉ info@szsymco.com

Follow us on social media! 📱 Symco.Tech 📷 symco_official 📺 @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Connector

SC/APC - SC/APC

- Insertion loss: ≤ 0.2 db
- Return loss: ≥ 60 db (APC)
- Durability: 500+ mating cycles
- Application: FTTH, ODF, Patch Panels, Telecom Rooms, Data centers

For more products visit us! 🌐 www.szsymco.com ✉ info@szsymco.com

📱 Symco.Tech 📷 symco_official 📺 @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Connector SC-LC

- Connector Type: SC/UPC to LC/UPC
- Body Material: High strength PC Metal
- Insertion Loss: ≤ 0.3 dB
- Return Loss: ≥ 50 dB
- Application: ODF, Patch Panels, FTTH, Telecom Rooms

For more info & products,
Visit Now! 🌐 www.szsymco.com

📱 Symco.Tech 📷 symco_official 📺 @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Fast Connector

- Type SC/UPC fast connector
- Insertion loss: ≤ 0.3 dB
- Return loss: ≥ 50 dB (UPC)
- Installation: No polishing, No epoxy, easy field assembly
- Application: FTTH, ONU, Fiber repair, Quick termination

For more Products!
Visit www.szsymco.com

Our social media accounts 📱 Symco.Tech 📷 symco_official 📺 @symco_official

RJ45 Connectors

SYMCO
COMMITTED PERFORMANCE

RJ45 Connectors

Model: SM-6R
Cat 8 Connector (Copper)

- Durable and transparent polycarbonate body
- Reliable performance for high-speed networks
- Strong locking clip for secure connection
- Easy installation with standard crimping tools
- Ideal for professional & DIY networking

Contact us for more Details!
✉ info@szsymco.com

www.szsymco.com Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

RJ45 Connectors

Cat 6 Connector (Gold, 1U)

Model: SM-6A

- Durable and transparent polycarbonate body
- Reliable performance for high-speed networks
- Strong locking clip for secure connection
- Easy installation with standard crimping tools
- Ideal for professional & DIY networking

Contact us for Deals!
✉ info@szsymco.com

www.szsymco.com Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

RJ45 Connectors

Cat 6 Pass Through Connector (Gold, 1U)

Model: SM-6P

- Durable and transparent polycarbonate body
- Reliable performance for high-speed networks
- Strong locking clip for secure connection
- Easy installation with standard crimping tools
- Ideal for professional & DIY networking

Contact us for Deals!
✉ info@szsymco.com

www.szsymco.com Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

RJ45 Connectors

Cat 6 FTP Connector (Gold, 1U)

Model: SM-6F

- Durable and transparent polycarbonate body
- Reliable performance for high-speed networks
- Strong locking clip for secure connection
- Easy installation with standard crimping tools
- Ideal for professional & DIY networking

Contact us for more Details!

www.szsymco.com Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

RJ45 Connectors

Cat 6 Connector (Gold, 3U)

Model: SM-6D

- Durable and transparent polycarbonate body
- Reliable performance for high-speed networks
- Strong locking clip for secure connection
- Easy installation with standard crimping tools
- Ideal for professional & DIY networking

Contact us for more Details!

www.szsymco.com Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

RJ45 Connectors

Cat 5 Connector (Gold, 1U)

Model: SM-5A

- Durable and transparent polycarbonate body
- Reliable performance for high-speed networks
- Strong locking clip for secure connection
- Easy installation with standard crimping tools
- Ideal for professional & DIY networking

Contact us now for pricing and details!

www.szsymco.com Symco.Tech symco_official @symco_official

Fiber Cleavers

SYMCO
COMMITTED PERFORMANCE

Fiber Cleaver

SM-100

- **Cleave Length:** 10-16 mm (standard) 5-16 mm (FTTH)
- **Cleave Angle:** ≤ 0.5°
- **Applicable Fiber:** Single-mode & Multimode
- **Blade Life:** Up to 48,000 cleaves

www.szsymco.com

Visit Now!

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Cleaver

SM-9C

- **One-Step Cleaveing Operation**
- **Cleave Length:** 10-16 mm standard fiber 5-16 mm FTTH fiber
- **Durable blade with up to 30,000 Cleaves**
- **Cleave Angle:** ≤ 0.5°
- **Application:** ODF, Patch Panels, FTTH, Telecom Rooms

For more info & products, Visit Now! www.szsymco.com info@szsymco.com

Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Cleaver

Model: SM-5C

- **Cleave angle:** ≤ 0.5°
- **Cleave length:** 10-16mm Standard fiber 5-16mm FTTH fiber
- **Blade life:** upto 30,000 cleaves
- **Applicable fiber:** Single mode/ Multimode

For more products visit us! www.szsymco.com info@szsymco.com

Symco.Tech symco_official @symco_official

Fiber Optic Indoor/Outdoor Cable

SYMCO
COMMITTED PERFORMANCE

Fiber Cable

Outdoor 2-Core

- **2 Core Cable**
- **Length:** 500m
- **Outer Jacket:** LSZH material (Low Smoke Zero Halogen)

Stock Available, Contact us for deals!
✉ info@szsymco.com

www.szsymco.com Symco.Tech symco_official @symco_official

Outdoor Wireless Bridges/CPE

Wireless Bridge

Model: SM-WB01

Plug and play
Point to Point & Point to Multi-Point

- 5 GHz
- 300 Mbps data transfer
- Gigabit Ethernet ports
- Covering distance of up to 5 km

Stock Available, Contact us for deals!

Ideal for extending internet between 2 locations & linking CCTV cameras

www.szsymco.com

Symco.Tech symco_official @symco_official

Wireless Bridge

Model: SM-WB02

- 5 GHz AC
- 867 Mbps data transfer
- Gigabit Ethernet ports
- Range: up to 5 km

Plug and play
Point-to Point & Point-to Multi-Point

- Ideal for extending internet between locations or Connecting CCTV cameras

Stock Available, Contact us for deals!

www.szsymco.com

Symco.Tech symco_official @symco_official

Open Distribution Frames

Open Distribution Frame (ODF)

8 Port Indoor

- Robust metal casing for long-term use
- Fiber Type: Single Mode (SMF-28 or G.657)
- Application: FTTH, PON Networks, Data Center Fiber Distribution.
- Easy installation and maintenance

For order Contact us!
info@szsymco.com

For more Products visit us!
www.szsymco.com

Symco.Tech symco_official @symco_official

Indoor ODF 24 Port

- Low insertion loss & high return loss
- Durable metal construction
- Easy installation & maintenance
- Ideal for FTTH, GPON & EPON networks
- Durability: 500+ mating cycles

Visit us for more products!
www.szsymco.com
info@szsymco.com

Symco.Tech symco_official @symco_official

Open Distribution Frame

- Low insertion loss
- Reliable LC/SC adapters for secure connections
- Suitable for FTTH, GPON & EPON networks
- Durable metal construction for long term use
- Easy installation & maintenance

Visit us for more info & Products!
www.szsymco.com
info@szsymco.com

Symco.Tech symco_official @symco_official

Open Distribution Frame (ODF)

2/4/8/16 Port Outdoor

- Support: 2/4/8/16 Cassette splitters
- Fiber Type: SMF-28 or G.657
- Application: FTTH, PON Networks, Data Center Fiber Distribution.
- Operating Temperature: -20 °C to +85 °C
- Easy installation and maintenance
- Low insertion loss with excellent return loss

For order Contact us!
info@szsymco.com

For more Products visit us!
www.szsymco.com

Symco.Tech symco_official @symco_official

Fiber Accessories

Fiber Cleaning Box

- Supports SC, FC, LC, ST connectors
- Automatic precision brush cleaning
- Lightweight and portable design
- Easy to use for field and lab environments
- Efficiently cleans multiple fibers without damaging ferrules
- Improves optical link performance
- Durable and long-lasting construction

Visit us for more products!
www.szsymco.com

Symco.Tech symco_official @symco_official

Fiber Armored Striper

- Hardened steel blade for accurate cuts
- Fiber tube cuts upto 16mm
- Ergonomic handle for easy grip
- Portable & lightweight

For order Contact us!
info@szsymco.com

For more Products!
www.szsymco.com

Symco.Tech symco_official @symco_official

Fiber Tube Cutter

- Fiber tube cuts upto 16mm
- Hardened steel blade for clean cuts
- Ergonomic red handle for easy grip
- Rust resistant & sharp

For more Products!
Visit www.szsymco.com

Follow us on social media!
Symco.Tech symco_official @symco_official

SYMCO
COMMITTED PERFORMANCE

Visual Fault Locator

Model: HT-10

Output Power: 10mw, 20mw, 30mw, 50mw & 100mw
Connector Compatibility: SC/FC/ST/LC
Wavelength: 650 nm (red laser)

Contact now for order!
Follow for more products.

www.szsymco.com | Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Visual Fault Locator

Model: HT-10

- Wavelength: 650 nm
- Red laser
- Output Power: 10 mw, 20 mw, 30 mw, 50 mw, 100 mw
- Connector Compatibility: SC/FC/LC/ST
- Push button functionality
- Compact & portable design

Contact us now!
Info@szsymco.com
www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Sleeve

- Product Type: Fiber Protective Sleeve
- Material: Heat-shrinkable polyolefin
- Diameter: 2.5 mm
- Length: 45 mm
- Operating Temperature: -40°C to +120°C
- Protection: Provides mechanical & environmental protection for spliced fibers

Stock Available, Contact us for deals!
www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Cleaning Wipes

- Material: Lint free, non-abrasive fabric
- Size: 90 X 100 mm /sheet
- Quantity: 100 sheets per pack
- Suitable for single-mode & multi-mode fibers
- Application: Fiber connectors, endfaces, adapters & equipment
- Safe for: Delicate optical surfaces without scratching or leaving residue
- Usage: Dry or with approved fiber cleaning solution

For more info & products, Visit Now! www.szsymco.com | info@szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Cleaver Blade

- Material: High quality tungsten steel
- Compatibility: Fits SM-100 & SM-8C fiber optic cleavers
- Blade Life: Up to 48000 cleaves
- Application: Single-mode & Multi-mode fibers
- Usage: Replacement blade for routine maintenance of fiber cleavers

For pricing and deals Contact now!
Info@szsymco.com
www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Cleaner

Cleaner Pen

- Product Type: Fiber Optic Cleaner Pen.
- Compatibility: SC, FC, ST connectors.
- Up to 800 cleaning cycles per pen.
- Easy push-and-clean operation.
- Portability: Compact, pen-style design for field use.

Visit us for more products!
www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Drop Cable Stripper

- Product Type: Drop Cable Stripper.
- Cable Diameter Range: 2 mm - 14 mm.
- Blade Material: High-quality stainless steel.
- Operation: Manual stripping for drop fiber cables.
- Handle: Ergonomic non-slip grip.
- Retractable blade for safety.
- Durable, corrosion-resistant construction.

Visit us for more products! Website: www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Stripper

- Product Type: Fiber Optic Stripper
- Cable Diameter Range: 0.25 mm - 3.0 mm (for 250 µm to 3 mm coated fibers)
- Blade Material: Hardened stainless steel
- Operation: Manual precision stripping
- Handle: Ergonomic anti-slip grip
- Application: Prepares fibers for fusion splicing
- Safety: Blade retractable to avoid accidents
- Durability: Long-lasting, corrosion-resistant construction

Visit us for more products! www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

Fiber Optic Stripper

- Cable Diameter Range: 0.25 mm - 3.0 mm (for 250 µm to 3 mm coated fibers)
- Blade Material: Hardened stainless steel
- Operation: Spring-loaded automatic precision stripping
- Handle: Ergonomic anti-slip grip

Stock Available, Contact us for deals!
www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

RJ45 PoE Adapter Cable

- Product Type: RJ45 PoE Adapter/ Passive PoE Splitter Cable
- Connector: RJ45 Male + RJ45 Female + DC Female Jack
- Voltage Support: 12V / 24V (Depends on Injector)
- Function: Splits power and data from Ethernet cable

Stock Available, Contact us for deals!
www.szsymco.com

Symco.Tech | symco_official | @symco_official

SYMCO
COMMITTED PERFORMANCE

PoE Injector

- Product Type: RJ45 PoE Injector
- PoE Type: Passive PoE
- Ports: LAN (Data In) + PoE (Data + Power Out)
- DC Input: DC Power Jack
- Voltage Support: 12V / 24V / 48V
- Indicator: Power Active LED
- Installation: Plug & Play
- Application: Wireless CPE, Access Points, Passive PoE Devices

Stock Available, Contact us for deals!
www.szsymco.com

Symco.Tech | symco_official | @symco_official